

TURBINES



Titanium Body Fiber Optic KaVo® connection Torque Head 4-Ports Spray Power: 25W dB: <57

|C-005

Titanium Body Fiber Optic NSK® connection Torque Head 4-Ports Spray Power: 25W dB: <57



H-102
Titanium Body
Fiber Optic (GEN)
4 holes
Torque Head
4-Ports Spray
Power: 21W
dB: <60



H-113
Titanium Body
Fiber Optic (GEN)
2 Holes
Torque Head
4-Ports Spray
Power: 21W
dB: <60



P-202
Titanium Body
Anti-Retracti Valve
4 Holes
Torque Head
4-Ports Spray
Power: 21W
dB: <60



2 Holes Torque Head 4-Ports Spray Power : 21W

dB:<60

TITANIUM

CONTRA ANGLES



IG-302

Contra Angle Max Speed: 40.000 RPM Fiber Optic Detachable Head Inner Cooling 1 Port Spray



IG-310

Contra Angle Max Speed: 40.000 RPM Detachable Head Inner Cooling 1 Port Spray



G-319

Special for implantology and surgery 20:1 Load capacity up to: 70 Ncm Push Button Outer cooling 1 Port Spray



IG-317

Special for implantology and surgery 20:1 Fiber Optic Load capacity up to: 70 Ncm Push Button Outer Cooling 1 Port Spray



1:5 Contra Angle Max Speed: 200.000 RPM Fiber Optic Stainless Steel Inner Cooling 1 Port Spray

MD CC





LOW SPEEDS



G-309 (4Holes) Air Motor Max Speed: 25.000 RPM Inner Cooling 1 Port Spray



G-311
Straight Handpiece
Max Speed:
40.000 RPM
Inner Cooling
1 Port Spray

During the creation of **Beehive**, the motivation we had was not delivering the best products to you since we know that to be able to do it, we need time. Our motivation was to deliver the best customer experience with standardized quality. This is why we got inspired by a beehive where you will feel the harmony on all the processes while creating values for you.

We warmly invite you to share *A PERFECT HARMONY* with us.



AKSDENT GLOBAL DENTAL VE TIBBİ CİHAZLAR SAN. LTD. ŞTİ.

Fatih Mah. 1191 Sk. No: 1-14 Zone Gaziemir İzmir - Türkiye

Tel&Fax: +90 850 762 85 05 ● e-mail: info@aksdent.com

Follow us on O beehivedent

www.aksdent.com